

AD-A133 416

EXPERIMENTAL DESIGNS FOR QUANTAL RESPONSE MODELS(U)
WISCONSIN UNIV-MADISON DEPT OF STATISTICS C J WU
22 SEP 83 ARO-19298.3-MA DAAG29-82-K-0154

1/1

UNCLASSIFIED

F/G 12/1

NL




END

FILED

SEP 83

ARL



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

ARO 19298.3-MA

AD-A133416

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
	AD-A133416	(12)
4. TITLE (and Subtitle)		5. TYPE OF REPORT & PERIOD COVERED
Experimental Designs for Quantal Response Models		Final 6/24/82 - 6/23/83
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s)		8. CONTRACT OR GRANT NUMBER(s)
Chien-Fu Jeff Wu		ARO Grant No. DAAG 29-82-K0154
9. PERFORMING ORGANIZATION NAME AND ADDRESS		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
Dept. of Statistics, University of Wisconsin 1210 W. Dayton St., Madison, WI. 53706		
11. CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE
U. S. Army Research Office Post Office Box 12211 Research Triangle Park, NC 27709		September 22, 1983
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		13. NUMBER OF PAGES
		3
		15. SECURITY CLASS. (of this report)
		Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)		
Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
NA		
18. SUPPLEMENTARY NOTES		
The view, opinions, and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision, unless so designated by other documentation		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)		
Experimental design, sensitivity experiment, binary response model, multiple response model, stochastic approximation, efficiency gain, multiple comparison.		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number)		
Three problems have been studied:		
1. A new sequential design procedure has been developed for estimating the percentiles of a quantal response curve which describes the probability of response as a function of stimulus level. It is asymptotically fully efficient and distribution-free. For small samples it outperforms the best Robbins-Monro procedure in an extensive empirical study. The percentages		

DTIC
S ELECT
OCT 12 1983
A

DTIC FILE COPY

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

83

10 12 010

~~UNCLASSIFIED~~

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

→ of saving range from 25% to 60%.

2. It is shown that, by classifying the outcome of a sensitivity experiment into more than two categories, the parameters in a parametric response curve can be estimated more precisely. The theoretical result is obtained via the Missing Information Principle. The empirical study points out where substantial gains can be achieved.
3. Several procedures for the multiple comparison of all linear contrasts in unbalanced situations are compared both empirically and theoretically. Recommendations for the choice of procedures are given.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

Experimental Design for Quantal Response Models

Final Report

by

C. F. Jeff Wu

September 22, 1983

U.S. Army Research Office

Grant No. DAAG29-82-K0154

University of Wisconsin-Madison

**APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION UNLIMITED.**

**THE VIEW, OPINIONS, AND/OR FINDINGS CONTAINED IN THIS REPORT ARE
THOSE OF THE AUTHOR(S) AND SHOULD NOT BE CONSTRUED AS AN OFFICIAL
DEPARTMENT OF THE ARMY POSITION, POLICY, OR DECISION, UNLESS SO
DESIGNATED BY OTHER DOCUMENTATION.**

date
copy
inserted

Accession For	
NTIS GRA&I	<input checked="checked" type="checkbox"/>
DTIC TAB	<input checked="checked" type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution	
Availability	
Notes	
A	

1. Statement of Problems

- a. Efficient sequential design of sensitivity experiments involving binary responses.
- b. Information gain (in terms of saving the number of runs) from classifying a response into three (or more) ordered categories instead of the ordinary binary responses.
- c. Multiple comparison in unbalanced one-way analysis of variance.

2. Summary of results

- a. C.F.J. Wu, the Principal Investigator, has developed a new sequential design procedure for estimating the percentiles of quantal response curve in a sensitivity experiment. Its updating rule is based on an efficient summary of all information available via a parametric model. It turns out to be related to a stochastic approximation scheme and is asymptotically distribution-free. A "logistic-MLE" version of Wu's procedure substantially outperforms in a simulation study all other competing procedures, including the optimal Robbins-Monro procedure. It results in saving between 25% to 60% runs. The results are reported in T.R. No. 42 MSRI, Berkeley. The paper was submitted for publication.
- b. In many sensitivity experiments conducted in the Army laboratories, the outcomes are classified into two categories (penetrate, not penetrate; animal alive or dead; etc.). Very often it is possible to have more refined classification of the outcomes (e.g., penetrate, partially penetrate, not penetrate.) This will require more work on the part of the experimenters. The question is whether it is worthwhile? It is so if it results in more precise estimation of the parameters of interest, which in turn implies that fewer runs

are needed for a given precision. The P.I. and his Research Assistant S.K. Tse have completed theoretical and empirical studies of this issue. They show that for a large class of parametric models and most parameters of interest, the tertiary-response model provides more precise estimation than the binary-response model. The gain ranges from minor to substantial, depending on the experimental design scheme and the values of the unknown parameters. The results will soon appear in a MRC technical report.

- c. Four procedures (Scheffé, Spjøtvoll-Stoline, Tukey, Hochberg) for the multiple comparisons of all linear contrasts among means in the unbalanced models are compared both empirically and theoretically. Recommendations are made with regard to the choice of procedures.

3. List of publications

C.F.J. Wu (1983) "Efficient model-based sequential designs for sensitivity experiments" MSRI Technical Report No. 42, Berkeley. Submitted to Journal of the American Statistical Association.

S.K. Tse and C.F.J. Wu (1983) "Information comparison of the dichotomous and polychotomous response models" To appear as a MRC Technical Report.

S.K. Tse (1983) "A comparison of procedures for multiple comparisons of means with unequal sample sizes". To be submitted for publication.

- 4. Mr. S.K. Tse, who was on the R.A. support of DAAG 29-82-K0154, will complete his Ph.D. degree requirements by the summer of 1984.

END

FILMED

10-83

DTIC